

reinhardoil.dk

Telefon + 45 70267007

Telefax + 45 70267047

www.reinhardoil.dk

mail@reinhardoil.dk

NORTH SEA **LUBRICANTS**



PRODUCT GUIDE

Passenger Car Motor Oils

Code	Product name	Specifications
7201	WAVE POWER RACING 10W-60	Exceeds: API SL/CF, ACEA A3/B4, MB 229.1, VW 502.00/505.00
7202	WAVE POWER RACING 5W-50	Exceeds: API SM/CF, ACEA A3/B4, MB 229.1, VW 502.00/505.00
7204	WAVE POWER SM 5W-40	Approved: MB-Approval 229.3, VW 502.00/505.00, BMW LL-01 Exceeds: API SN/CF, ACEA A3/B4, GM-LL-B025, PSA B71 2296, Porsche A40, Renault 0700/0710
7206	WAVE POWER SL 10W-40	Approved: MB-Approval 229.1, VW 501.01/505.00 Exceeds: ACEA A3/B4, API SL/CF
7208	WAVE POWER SL 15W-40	Exceeds: ACEA A3/B3, API SL/CF, VW 505.00, MB 229.1
7209	WAVE POWER SL-CF 10W-40	Exceeds: API SL/CF, ACEA A3/B4
7210	WAVE POWER SL 20W-50	Exceeds: ACEA A3/B3, API SL/CF, VW 505.00, MB 229.1
7212	WAVE POWER SF 15W-40	Exceeds: API SF/CD
7214	WAVE POWER SF 20W-50	Exceeds: API SF/CD
7219	WAVE POWER SL 0W-30	Exceeds: ACEA A3/B4, API SJ/CF, VW 502.00/505.00, VW 503.01, MB 229.3, BMW LL-98
7220	WAVE POWER FE 5W-30	Exceeds: ACEA A1/B1, API SL, ILSAC GF-3, Ford M2C-913A/913B
7221	WAVE POWER GM 5W-30	Exceeds: ACEA A3/B4, API SN/CF, MB 299.5, VW 502.00/505.00, BMW LL-01, Opel GM-LL-A025, Opel GM-LL-B025, Renault RN 0710
7224	WAVE POWER LL 5W-30	Approved: VW 504.00/507.00, MB-Approval 229.51, BMW LL-04 Exceeds: ACEA A3/B4, C3,
7225	WAVE POWER LE 5W-30	Approved: MB-Approval 229.51, BMW LL-04, VW 502.00/505.00 Exceeds: ACEA A3/B4, C3, API SN/CF, Renault RN 0700/0710
7226	WAVE POWER LE 5W-40	Approved: MB-Approval 229.51, VW 502.00/505.00 & VW 505.01 Exceeds: ACEA A3/B4, C3, API SN/CF, Renault RN 0700/0710, BMW LL-04
7227	WAVE POWER FEC 5W-30	Exceeds: API SL/CF, ACEA A3/B4, MB 229.5, BMW LL-01, VW 502.00/505.00, Ford WSS M2C913C
7228	WAVE POWER C2 5W-30	Exceeds: API SN/CF, ACEA A1/B1, ACEA A5/B5, ACEA C2, PSA B71 2290, Renault 0700
7229	WAVE POWER GMD 5W-30	Exceeds: GM dexos 2, API SN/CF, ACEA A3/B4, C3, MB 229.51, BMW LL-04, VW 502.00/505.00
7230	WAVE POWER BLL 5W-30	Exceeds: ACEA A3/B4, C3, VW 504.00/507.00, MB 229.51, BMW LL-04
7231	WAVE POWER C4 5W-30	Exceeds: ACEA C4, RN 0720, MB 229.51
7232	WAVE POWER SN 5W-20	Exceeds: API SN/SN-RC, ILSA GF-5, GM Dexos 1, GM 4718M
7233	WAVE POWER CC 15W-40	Exceeds: API CC/SF
7234	WAVE POWER SL 15W-50	Exceeds: API SL/CF
7235	WAVE POWER SN 0W-20	Exceeds: API SN/SN-RC, ILSA GF-5, GM Dexos 1, GM 4718M

Heavy Duty Engine Oils

Code	Product name	Specifications
7249	TIDAL POWER SUPER UHPD 5W-30	Exceeds: ACEA E7/E4, API CI-4, MB 228.5, MAN M 3277, Global DHD-1, Mack EO-M+, Renault RXD, Cummins 20076/20077/20072, MTU Type 3, Volvo VDS-3, Scania LDF
7250	TIDAL POWER EHPD 10W-40	Exceeds: MB-228.5 (approval pending), MAN M 3277, Renault RLD-2, Volvo VDS-3, MACK EO-N, API CI-4, ACEA E7/E4, MTU Type 3, Cummins 20077/20078, Scania LDF-2
7251	TIDAL POWER SHPD 15W-40	Exceeds: API CJ-4, ACEA E9/E7, MB 228.31, MAN M 3575, MACK EO-O, Renault VI RLD-3, Volvo VDS-4, DDC PGOS 93K218, CAT ECF-3/2/1a, Deutz DQC III-05, MTU Type 2.1, Cummins 20081
7252	TIDAL POWER UHPD 10W-40	Exceeds: API CI-4, ACEA E7/E4, MB 228.5, MAN M 3277, Volvo VDS-3, MTU Type 3, Renault RXD/RLD-2
7253	TIDAL POWER SHPD 10W-30	Exceeds: API CJ-4, ACEA E9/E7, MB 228.31, MAN M 3575, MACK EO-O, Renault VI RLD-3, Volvo VDS-4, DDC PGOS 93K218, CAT ECF-3/2/1a, Deutz DQC III-05, MTU Type 2.1, Cummins 20081
7254	TIDAL POWER SCR 10W-40	Approved: MB-Approval 228.51, MAN M 3477, Volvo VDS-3, Renaults RLD-2 Exceeds: ACEA E6/E7, Deutz DQC-III-05, MTU Type 3.1, MAN M 3271
7255	TIDAL POWER HDX 10W-40	Approved: MB-Approval 228.3, MAN M 3275, Volvo VDS-3, Renault RLD-2, Mack EO-N Exceeds: API CI-4, ACEA E7, DDC 93K215, Caterpillar ECF-1a, ECF-2, Global DHD-1, JASO DH-1, Allison C4, MTU Type 2, Mack EO-M+, Cummins CES 20077/20078, DAF HP-2
7256	TIDAL POWER HDX 15W-40	Approved: MB-Approval 228.3, MAN M 3275, Volvo VDS-3, Renault RLD-2, Mack EO-N Exceeds: API CI-4, ACEA E7, DDC 93K215, Caterpillar ECF-1a, ECF-2, Global DHD-1, JASO DH-1, Allison C4, MTU Type 2, Mack EO-M+, Cummins CES 20077/20078, DAF HP-2
7257	TIDAL POWER HDL 10W-40	Exceeds: API CH-4/CF, ACEA E2 (level), MB 228.3, MAN M 3275, Volvo VDS-2, MTU Type 2, Mack EO-L, Allison C-4
7259	TIDAL POWER HDL 10W-30	Exceeds: API CH-4/CF, ACEA E2 (level), MB 228.3, MAN M 3275, Volvo VDS-2, MTU Type 2, Mack EO-L, Allison C-4

Code	Product name	Specifications
7260	TIDAL POWER HD 15W-40	Approved: MB-Approval 228.3, MAN M 3275 Exceeds: API CG-4/CF, ACEA E2 (level), Volvo VDS, MTU Type 2, Mack EO-L
7261	TIDAL POWER HD 20W-50	Exceeds: API CG-4/CF, ACEA E2 (level), MB 228.3, MAN M 3275, Volvo VDS, MTU Type 2, Mack EO-L
7263	TIDAL POWER HDX 20W-50	Exceeds: API CI-4, MB 228.3, MAN M 3275, Volvo VDS-3, ACEA E7, Renault RLD-2, Mack EO-N, Allison C4, DDC 93K215, Caterpillar ECF-1a, ECF-2, Global DHD-1, JASO DH-1, MTU Type 2, Cummins CES 20077/20078, DAF HP-2, Mack EO-M+
7262	TIDAL MONO POWER CF 10W	Exceeds: API SF/CF, MTU Type 2, CCMC G2/D1, MIL-L-46152
7264	TIDAL MONO POWER CF 20W-20	Exceeds: API SF/CF, MTU Type 2, CCMC G2/D1, MIL-L-46152
7266	TIDAL MONO POWER CF 30	Exceeds: API SF/CF, MTU Type 2, CCMC G2/D1, MIL-L-46152
7268	TIDAL MONO POWER CF 40	Exceeds: API SF/CF, MTU Type 2, CCMC G2/D1, MIL-L-46152
7270	TIDAL MONO POWER CF 50	Exceeds: API SF/CF, MTU Type 2, CCMC G2/D1, MIL-L-46152
7272	TIDAL MONO POWER 10	Exceeds: API CB/SB
7274	TIDAL MONO POWER 20	Exceeds: API CB/SB
7276	TIDAL MONO POWER 30	Exceeds: API CB/SB
7278	TIDAL MONO POWER 40	Exceeds: API CB/SB
7280	TIDAL MONO POWER 50	Exceeds: API CB/SB
7284	TIDAL MONO POWER SA 50	Exceeds: API SA
7287	TIDAL POWER LA 40	Exceeds: API CF; Waukesha Cogeneration; Dresser Rand Category III, Jenbacher
7288	TIDAL POWER MA 40	Exceeds: API CF; Waukesha Cogeneration; Dresser Rand Category III, Jenbacher
7289	TIDAL POWER LA 30	Exceeds: API CF; Waukesha Cogeneration; Dresser Rand Category III, Jenbacher

Small Engine Oils

Code	Product name	Specifications
7291	STREAM POWER OTB 4T	Exceeds: NMMA-FC-W
7292	STREAM POWER 2T	Exceeds: API TC, JASO FB
7293	STREAM POWER 4T 10W-50	Exceeds: API SL, JASO MA
7294	STREAM POWER 2T EXTRA	Exceeds: API TC, JASO FD, ISO-L-EGD
7295	STREAM POWER SYN 2T	Exceeds: API TC, JASO FD, ISO-L-EGD
7296	STREAM POWER OTB 2T	Exceeds: NMMA TC-W3®
7298	STREAM POWER 4T EXTRA	Exceeds: JASO MA2, API SL
7299	STREAM POWER 4T	Exceeds: JASO MA, API SL

Automotive Gear Oils

Code	Product name	Specifications
7301	AUTOGEAR POWER GL 140	Exceeds: API GL-1, MIL-L-2105
7302	AUTOGEAR POWER EP 80W-90	Exceeds: API GL-4, MIL-L-2105
7304	AUTOGEAR POWER EP 85W-140	Exceeds: API GL-4, MIL-L-2105
7306	AUTOGEAR POWER MP 80W-90	Exceeds: API GL-5, MIL-L-2105D, MAN 342 M2, ZF TE-ML 05A, 07A, 12E, 16B/C/D, 17B, 19B, 21A
7307	AUTOGEAR POWER MP 85W-90	Exceeds: API GL-5, MIL-L-2105D, MB 235.6, ZF TE-ML 17B, 19B, 21A, ZF TE-ML 16C
7308	AUTOGEAR POWER MP 85W-140	Exceeds: API GL-5, MIL-L-2105D, MAN 342 M2, ZF TE-ML 05A, 07A, 12E, 16B/C/D, 17B, 19B, 21A
7310	AUTOGEAR POWER SYN 75W-90	Exceeds: API GL-4/5, MT-1, MAN M3343S, MIL-PRF-2105E, Scania STO 1:0, MB 235.0, ZF TE-ML 02B/05A/07A/12E/16B/16C/16D/17B/19B/21A, SAE J2360, MACK GO-J, MAN 341 E2
7312	AUTOGEAR POWER LS 80W-90	Exceeds: API GL 5, MIL PRF 2105D, MAN 342 M1/M2, MB 235.0, Volvo 97310, DAF, Renault, Arvin Meritor, ZF TE-ML 05C, 12C, 16E, 21C
7314	GEAR POWER TO-4 30	Exceeds: Caterpillar TO-4,Komatsu KES 07.868.1,Allison C4, API CF-2/CF, ZF TE-ML 03
7315	GEAR POWER TO-4 50	Exceeds: Caterpillar TO-4, Komatsu KES 07.868.1, Allison C4, API CF-2/CF, ZF TE-ML 03
7316	GEAR POWER TO-4 10W	Exceeds: Caterpillar TO-4, Komatsu KES 07.868.1, Allison C4, API CF-2/CF, ZF TE-ML 03
7333	AUTOGEAR POWER TX 75W-80	Exceeds: API GL-5, MB 235.4, Volvo 97305, MAN 341 E3, MAN 341 Z4, Iveco, Renault B0032/2, Eaton Europe, ZF TE-ML 01L, 02L, 08, 16K
7334	AUTOGEAR POWER SYN 75W-85	Exceeds: API GL-5, MB 235.7, ZF TE-ML 18, VW G 052 190, VW G 055 190, Alfa Romeo, BMW, Fiat, Lancia

Automotive Transmission Oils

Code	Product name	Specifications
7318	ATF POWER MBF	Exceeds: MB 236.14, Ssang Yong
7320	ATF POWER DX II	Exceeds: DEXRON®IID
7322	ATF POWER DX III	Exceeds: DEXRON® IIIG, Ford Mercon®
7324	ATF POWER DX VI	Exceeds: DEXRON® VI
7323	ATF POWER MV	Exceeds: Dexron IIIG/H, Allison C4, Cat TO-2, Honda ATF Z1, MAN 339 Z1/ V1, Mercon V, Mitsubishi SP-II/III, Nissan Matic D/J, Toyota T-II/III/IV, Voith H55.6335xx, Volvo 97340, JASO M315 1A, Toyota WS, JWS 3309/3314, VW G052 025, VW G052 162, LT 71141, Chrysler ATF +4, MB 236.10, Dexron IIE, TES 295, Chrysler +4, Honda SP-III/Z1, Texaco N402, MB 236.10/236.11, Volvo Std 1273.41, VW G 052 990, ZF TE-ML 03D, ZF TE-ML 03D, 04D, 14A, 14B, 17C, MAN Z1/V2
7325	ATF POWER CVT	Exceeds: MB 236.20, Ford WSS-M2C928A, BMW 83 22 0 136 376 / 83 22 0 429 154, VW G 052 180
7416	ATF POWER DSG	Exceeds: VW TL 521 82, BMW EU 83 22 2 148 578, BMW EU 83 22 2 148 579
7417	ATF POWER LG6	Exceeds: M.1375-4, VW G 055 005, Toyota Type WS, Nissan Matic S, Hyundai SP-IV, Mercon LV, Dexron VI

Agricultural Oils

Code	Product name	Specifications
7326	SUPER TRACTOR POWER 10W-40	Engine: API CG-4/CF-4/CE/SF, MB 228.1, ACEA E3 STOU: Ford M2C159B, NH 82009201,2,3, MF M1139/1144/1145, JD J27, ZF TE-ML 06B, 06C, 07B UTTO: JD J20C, J20D, Ford M2C86B,C, Ford M2C134D, MS-1204/6/7/9, MF 1135/1143/1145, Cat TO-2, API GL-4, Allison C4 Hydraulic: Vickers M-2950-S, Vickers I-280-S, Danfoss
7327	SUPER TRACTOR POWER 10W-30	Engine: API CF-4/CE/SF, MB 227.1, ACEA E3 STOU: Ford M2C159B, NH 82009201,2,3, MF M1139/1144, JD J27C, ZF TE-ML 06B/07B UTTO JD J20C, J20D, Ford M2C86B,C, Ford M2C134D, MS-1204/6/7/9, MF 1135/1143/1145, Cat TO-2, API GL-4, Allison C4 Hydraulic: Vickers M-2950-S, Vickers I-280-S, Danfoss
7329	SUPER TRACTOR POWER 15W-40	Engine: API CF-4/CE/SF, MB 227.1, ACEA E3 STOU: Ford M2C159B, NH 82009201,2,3, MF M1139/1144, JD J27C, ZF TE-ML 06B/07B UTTO: JD J20C, J20D, Ford M2C86B,C, Ford M2C134D, MS-1204/6/7/9, MF 1135/1143/1145, Cat TO-2, API GL-4, Allison C4 Hydraulic: Vickers M-2950-S, Vickers I-280-S, Danfoss
7331	UNIVERSAL TRACTOR POWER 85W	Exceeds: API GL-4, NH Mat 3525/3526, JD J20C, Volvo WB 101, ZF TE-ML 03E/05E, MF 1135/1143/1145
7332	UNIVERSAL TRACTOR POWER 80W	Exceeds: API GL-4, NH Mat 3525/3526, JD J20C, Volvo WB 101, ZF TE-ML 03E/05E, MF 1135/1143/1145
7335	MILKING MACHINE POWER 68	DIN 51524 Part 3

Industrial Gear Oils

Code	Product name	Specifications
7425	INDUSTRIAL GEAR POWER 68	Exceeds: DIN 51517-3 CLP, ISO 12925-1 CKC, AGMA 9005 E-02, US Steel 224, David Brown S1.53.101
7370	INDUSTRIAL GEAR POWER 100	Exceeds: DIN 51517-3 CLP, ISO 12925-1 CKC, AGMA 9005 E-02, US Steel 224, David Brown S1.53.101
7372	INDUSTRIAL GEAR POWER 150	Exceeds: DIN 51517-3 CLP, ISO 12925-1 CKC, AGMA 9005 E-02, US Steel 224, David Brown S1.53.101
7374	INDUSTRIAL GEAR POWER 220	Exceeds: DIN 51517-3 CLP, ISO 12925-1 CKC, AGMA 9005 E-02, US Steel 224, David Brown S1.53.101
7376	INDUSTRIAL GEAR POWER 320	Exceeds: DIN 51517-3 CLP, ISO 12925-1 CKC, AGMA 9005 E-02, US Steel 224, David Brown S1.53.101
7378	INDUSTRIAL GEAR POWER 460	Exceeds: DIN 51517-3 CLP, ISO 12925-1 CKC, AGMA 9005 E-02, US Steel 224, David Brown S1.53.101
7380	INDUSTRIAL GEAR POWER 680	Exceeds: DIN 51517-3 CLP, ISO 12925-1 CKC, AGMA 9005 E-02, US Steel 224, David Brown S1.53.101

Automotive Brake Fluids

Code	Product name	Specifications
7392	BRAKE FLUID DOT 4	Exceeds: FMVSS 116 DOT 4, SAE J 1703, ISO 4925
7450	BRAKE FLUID DOT 3	Exceeds: FMVSS 116 DOT 3, SAE J 1703, ISO 4925

Antifreeze & Cooling Fluids

Code	Product name	Specifications
7394	GLACIER ANTIFREEZE	Exceeds: BS 6580, AFNOR 15-601, ASTM D-3306, SAE J 1034, CUNANC 956-16
7395	GLACIER ANTIFREEZE XL	Exceeds: VW TL 774C, MB 325.0, FIAT 9.55523, IVECO 18-1830, Ford ESD M97B49, GM GME L 1301, GM 6901599, MAN 324 NF, MTU MTL 5048, Volvo Construction, BS 6580, JASO M325
7385	GLACIER ANTIFREEZE G12+	Exceeds: VAG TL 774D/F, MB 325.3, MAN 324 SNF, GM 6277M, Ford WSS-M97B44D, Cummins IS Series, Detroit Diesel, Deutz/MWM, Hitachi, Liebherr MD1-36, MTU 5048, Renault/Nissan, Volvo, Thermo King
7412	GLACIER ANTIFREEZE G12++	Exceeds: VAG TL 774G, MB 326.5, MAN 324 SI-OAT
7396	GLACIER COOLANT RTU 40	Exceeds: BS 6580, AFNOR 15-601, ASTM D-3306, SAE J 1034, CUNANC 956-16
7397	GLACIER COOLANT RTU G12+	Exceeds: VAG TL 774D/F, MB 325.3, MAN 324 SNF, GM 6277M, Ford WSS-M97B44D, Cummins IS Series, Detroit Diesel, Deutz/MWM, Hitachi, Liebherr MD1-36, MTU 5048, Renault/Nissan, Volvo, Thermo King
7413	GLACIER COOLANT RTU G12++	Exceeds: VAG TL 774G, MB 326.5, MAN 324 SI-OAT

Greases

Code	Product name	Specifications
7398	LUNA GREASE EP 00	Exceeds: DIN 51502, ISO 6743, GP00G-30, ISO-L-XCBE00
7399	LUNA GREASE EP 2	Exceeds: DIN 51502, ISO 6743-9, KP2K-30, ISO-L-XCCFB2
7400	LUNA GREASE EP BF 2	Exceeds: DIN 51502, ISO 6743-9, KP2K-30, ISO-L-XCCFB2
7401	LUNA GREASE EP BF 3	Exceeds: DIN 51502, ISO 6743-9, KP3K-30, ISO-L-XCFFB3
7402	LUNA GREASE EPX 2	Exceeds: DIN 51502, ISO 6743, KP2N-30, ISO-L-XCDIB2, Volvo Standard 87720
7404	LUNA GREASE EPHT 2	Exceeds: DIN 51502, ISO 6743, KP2N-20, ISO-L-XCDAB2
7405	LUNA GREASE EPWR 2	Exceeds: DIN 51502, ISO 6743, KP2.5K-20, ISO-L-XBCHB2.5
7406	LUNA GREASE USG 2.5	Exceeds: DIN 51502, ISO 6743, KP2.5K-20, ISO-L-XBCHB2.5

Chainsaw Oils

Code	Product name	Specifications
7387	CHAIN SAW POWER 100	
7388	CHAIN SAW POWER 150	

Compressor & Turbine Oils

Code	Product name	Specifications
7381	COMPRESSOR POWER 46	Exceeds: DIN 51506 VBL/VCL/VDL, ISO 6521-DAA/DAB/DAG/DAH
7382	COMPRESSOR POWER 68	Exceeds: DIN 51506 VBL/VCL/VDL, ISO 6521-DAA/DAB/DAG/DAH
7410	COMPRESSOR POWER 100	Exceeds: DIN 51506 VBL/VCL/VDL, ISO 6521-DAA/DAB/DAG/DAH
7384	COMPRESSOR POWER 150	Exceeds: DIN 51506 VBL/VCL/VDL, ISO 6521-DAA/DAB/DAG/DAH
7420	COMPRESSOR POWER SYNTH 32	Exceeds: DIN 51506 VDL, ISO 6743-3-DAB/DAJ
7421	COMPRESSOR POWER SYNTH 46	Exceeds: DIN 51506 VDL, ISO 6743-3-DAB/DAJ
7423	COMPRESSOR POWER SYNTH 68	Exceeds: DIN 51506 VDL, ISO 6743-3-DAB/DAJ
7409	COMPRESSOR POWER SYNTH 100	Exceeds: DIN 51506 VDL, ISO 6743-3-DAB/DAJ
7386	COMPRESSOR POWER SYNTH 150	Exceeds: DIN 51506 VDL, ISO 6743-3-DAB/DAJ
7415	TURBINE POWER 32	Exceeds: ASTM D4304 Type II, DIN 51515 TD/TG, ISO 8086 TSE/TGE/TSA/TGA, ALSTOM HTGD 90117 V, GEK 32568E/32568F/46506D/28143A/107395A/101941A, Solar ES 9-224, Class II, Siemens TLV 9013 04, ALSTOM HTGD 90117W
7418	TURBINE POWER 46	Exceeds: ASTM D4304 Type II, DIN 51515 TD/TG, ISO 8086 TSE/TGE/TSA/TGA, ALSTOM HTGD 90117 V, GEK 32568E/32568F/46506D/28143A/107395A/101941A, Solar ES 9-224, Class II, Siemens TLV 9013 04, ALSTOM HTGD 90117W

Hydraulic Oils

Code	Product name	Specifications
7350	HYDRA POWER 15	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603, ISO 11158HM, Vickers M-2950, I-286-S, US Steel 127, 136
7351	HYDRA POWER 22	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603, ISO 11158HM, Vickers M-2950, I-286-S, US Steel 127, 136
7352	HYDRA POWER 32	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603, ISO 11158HM, Vickers M-2950, I-286-S, US Steel 127, 136, Denison HF-0, Cincinnati P-68
7354	HYDRA POWER 46	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603, ISO 11158HM, Vickers M-2950, I-286-S, US Steel 127, 136, Denison HF-1, Cincinnati P-70
7356	HYDRA POWER 68	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603, ISO 11158HM, Vickers M-2950, I-286-S, US Steel 127, 136, Denison HF-2, Cincinnati P-69
7357	HYDRA POWER 100	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603, ISO 11158HM, Vickers M-2950, I-286-S, US Steel 127, 136
7359	HYDRA POWER PLUS 22	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603, ISO 11158HV, Vickers M-2950, I-286-S, US Steel 127, 136
7358	HYDRA POWER PLUS 32	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603, ISO 11158HV, Vickers M-2950, I-286-S,US Steel 127, 136, Denison HF-0, Cincinnati P-68
7360	HYDRA POWER PLUS 46	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603, ISO 11158HV, Vickers M-2950, I-286-S, US Steel 127, 136, Denison HF-1, Cincinnati P-70
7362	HYDRA POWER PLUS 68	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603, ISO 11158HV, Vickers M-2950, I-286-S, US Steel 127, 136, Denison HF-2, Cincinnati P-69
7355	HYDRA POWER PLUS 100	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603, ISO 11158HV, Vickers M-2950, I-286-S US Steel 127, 136
7364	HYDRA POWER ZF 22	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603 HM
7353	HYDRA POWER ZF 32	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603 HM, Cincinnati P-68, Denison HF-0, Vickers M-2950-S, Vickers I-286-S
7365	HYDRA POWER ZF 46	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603 HM, Cincinnati P-70, Denison HF-1, Vickers M-2950-S, Vickers I-286-S
7371	HYDRA POWER ZF 68	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603 HM, Cincinnati P-69, Denison HF-2, Vickers M-2950-S, Vickers I-286-S
7373	HYDRA POWER ZF PLUS 22	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603 HV, Vickers M-2950-S, Vickers I-286-S
7375	HYDRA POWER ZF PLUS 32	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603 HV, Vickers M-2950-S, Vickers I-286-S, Denison HF-0, Cincinnati P-68
7363	HYDRA POWER ZF PLUS 46	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603 HV, Vickers M-2950-S, Vickers I-286-S, Denison HF-1, Cincinnati P-70
7377	HYDRA POWER ZF PLUS 68	Exceeds: DIN 51524 Part 3 HVLP, AFNOR NFE 48-603 HV, Vickers M-2950-S, Vickers I-286-S, Denison HF-2, Cincinnati P-69
7366	HYDRA POWER HLPD PLUS 46	Exceeds: DIN 51524 Part 3 HVLP, Daimler DBL 6721
7379	HYDRA POWER SYNTH 32	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603 HM, ISO 11158 HM, Denison HF-0, Cincinnati P-68, Vickers M-2950-S, Vickers I-286-S
7383	HYDRA POWER SYNTH 46	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603 HM, ISO 11158 HM, Denison HF-1, Cincinnati P-70, Vickers M-2950-S, Vickers I-286-S
7361	HYDRA POWER SYNTH 68	Exceeds: DIN 51524 Part 2 HLP, AFNOR NFE 48-603 HM, ISO 11158 HM, Denison HF-2, Cincinnati P-69, Vickers M-2950-S, Vickers I-286-S
7424	HYDRA POWER BIO 46	Exceeds: DIN 51524 HVLP, CEC L33-T82 >90% in three weeks

Marine Oils

Code	Product name	Specifications
7452	HANSA CYLPOWER 5070	
7454	HANSA CYLPOWER 5040	
7456	HANSA SYSPower 3008	
7458	HANSA POWER 312	Exceeds: API CF
7460	HANSA POWER 315	Exceeds: API CF
7462	HANSA POWER 412	Exceeds: API CF
7464	HANSA POWER 415	Exceeds: API CF
7465	HANSA POWER 320	Exceeds: API CF
7471	HANSA POWER 420	Exceeds: API CF
7466	HANSA POWER 3030	
7468	HANSA POWER 3040	
7470	HANSA POWER 3055	
7472	HANSA POWER 4030	
7474	HANSA POWER 4040	
7475	HANSA POWER 4050	
7476	HANSA POWER 4055	
7478	HANSA MULTI POWER 15W-40	Exceeds: API CG-4/CF, MB 228.3, MAN M 3275, ACEA E2 (level), Volvo VDS, MTU Type 2, MACK EO-L

Railroad Engine Oils

Code	Product name	Specifications
7271	RAILROAD POWER 413	Exceeds: API CF / CF-2, LMOA Generation 5, EMD of General Motors, GE as Generation 4 Long Life Oils, GE Diesel Engines

Heat Transfers Oils

Code	Product name	Specifications
7389	THERMPOWER 32	

Slideway Oils

Code	Product name	Specifications
7367	SLIDEWAY POWER 32	Exceeds: ISO 6743-4 HG, ISO 6743-13 GA
7368	SLIDEWAY POWER 68	Exceeds: ISO 6743-4 HG, ISO 6743-13 GA
7369	SLIDEWAY POWER 220	Exceeds: ISO 6743-4 HG, ISO 6743-13 GA

Specialties

Code	Product name	Specifications
7422	BLUEPOWER	Exceeds: DIN 70 070
7319	PSF POWER SYNTH	Exceeds: MAN M 3289, BMW 81 22 9 407 758, BMW 82 11 1 468 041, BMW 83 29 0 429 576, Ford M2C204A, OPEL 1940 715, OPEL 1940 766, PSA S 71 2710, VW TL 521 46 (G 002 000/A7/A8, G 004 000), MB 345.0
7393	LHM FLUID	Exceeds: PSA B71 2710, ISO 7308

Disclaimer

Data mentioned in this Product Guide are typical only and minor variations, which do not affect the product performances, are to be expected in normal manufacturing. The information given in this Product Guide is based on past history of the grade only and must not be construed as a guarantee of performance. Always follow the Original Equipment Manufacturer’s recommendations for performance level, viscosity grade and oil drain interval. The Product and Safety Data Sheets for the products are available on our website: www.northsealubricants.com Text and printing errors reserved.





www.northsealubricants.com